


Specifications of ZLJ series Belt Joint Vulcanizing Machine:



A=length of platen along the belt
 B=width of platen across the belt on the bias
 C=Right angle dimension across the belt, plus edge overlap.
 D=Bias angle (0° /18° /20° /22°ect)
 E=Max Splice length

Specifications of ZLJ series Belt Joint Vulcanizing Machine							D=20 degree	
Model Number	Max Belt width(mm)	Max Splice Length Width E(mm)	Press Dimensions				Power (kw)	Weight(kg)
			A(mm)	C(mm)	B(mm)	External dimension (LxWxH)(mm)		
ZLJ-650	650	500	535	790	870	1080x730x630	6.1	280
	650	670	707	790	870	1080x900x630	8.2	300
	650	750	790	790	870	1080x980x630	9.1	320
	650	830	872	790	870	1080x1050x630	10.1	380
	650	1000	1045	790	870	1080x1220x630	12.2	410
ZLJ-800	800	500	535	940	1020	1280x730x630	7.1	380
	800	670	707	940	1020	1280x900x630	9.6	410
	800	750	790	940	1020	1280x980x630	10.7	420
	800	830	872	940	1020	1280x1050x630	11.9	460
	800	1000	1045	940	1020	1280x1220x630	14.3	490
ZLJ-1000	1000	500	535	1140	1220	1480x730x630	8.5	420
	1000	670	707	1140	1220	1480x900x630	11.4	500
	1000	750	790	1140	1220	1480x980x630	12.8	520
	1000	830	872	1140	1220	1480x1050x630	14.2	550
	1000	1000	1045	1140	1220	1480x1220x630	17.1	590
ZLJ-1200	1200	500	535	1340	1420	1680x730x630	9.9	510
	1200	670	707	1340	1420	1680x900x630	13.3	550
	1200	750	790	1340	1420	1680x980x630	14.9	590
	1200	830	872	1340	1420	1680x1050x630	16.5	610
	1200	1000	1045	1340	1420	1680x1220x630	19.1	650
ZLJ-1400	1400	500	535	1540	1620	1880x730x730	11.3	690
	1400	670	707	1540	1620	1880x900x730	15.2	720
	1400	750	790	1540	1620	1880x980x730	17.0	750

	1400	830	872	1540	1620	1880x1050x730	18.8	780
	1400	1000	1045	1540	1620	1880x1220x730	22.7	850
ZLJ-1600	1600	500	535	1740	1820	2080x730x730	12.7	830
	1600	670	707	1740	1820	2080x900x730	17.1	880
	1600	750	790	1740	1820	2080x980x730	19.1	920
	1600	830	872	1740	1820	2080x1050x730	21.2	940
	1600	1000	1045	1740	1820	2080x1220x730	25.5	1010
ZLJ-1800	1800	500	535	1940	2020	2280x730x730	14.1	880
	1800	670	707	1940	2020	2280x900x730	19.0	920
	1800	750	790	1940	2020	2280x980x730	21.2	950
	1800	830	872	1940	2020	2280x1050x730	23.5	1050
	1800	1000	1045	1940	2020	2280x1220x730	28.3	1150
ZLJ-2000	2000	500	535	2140	2220	2480x730x820	15.5	920
	2000	670	707	2140	2220	2480x900x820	20.8	1060
	2000	750	790	2140	2220	2480x980x820	23.3	1130
	2000	830	872	2140	2220	2480x1050x820	25.8	1240
	2000	1000	1045	2140	2220	2480x1220x820	31.1	1370
ZLJ-2200	2200	500	535	2340	2420	2680x730x820	16.9	1020
	2200	670	707	2340	2420	2680x900x820	22.7	1190
	2200	750	790	2340	2420	2680x980x820	25.4	1310
	2200	830	872	2340	2420	2680x1050x820	28.1	1460
	2200	1000	1045	2340	2420	2680x1220x820	33.9	1590
ZLJ-2200	2200	500	535	2340	2420	2880x730x820	17.9	1120
	2200	670	707	2340	2420	2880x900x820	23.7	1310
	2200	750	790	2340	2420	2880x980x820	26.4	1350
	2200	830	872	2340	2420	2880x1050x820	29.1	1580
	2200	1000	1045	2340	2420	2880x1220x820	34.9	1710



Qingdao Leno Industry Co., Ltd

Jack Han

Email: Jack@vulcanizers.com

Mobile:+86-13061240515 Fax:+86-0532-83115200

Factory Address: North 100meter of Wangtai Bus Exchange Center,Road S328, Wantai Town, Huangdao District,Qingdao,China,266425

Antai Machinery